	Application No.	Applicant(s)
	10/717,113	LONG ET AL.
Notice of Allowability	Examiner	Art Unit
	Alexis Wachtel	1764
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>appl filed 11/19/03</u> .		
2. The allowed claim(s) is/are <u>1-17</u> .		
3.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amend	Patent Application (PTO-152) / (PTO-413), ate

Application/Control Number: 10/717,113

Art Unit: 1764

Detailed Action

Drawings

1. The drawings filed on 11-19-03 are acceptable subject to correction of the informalities indicated herein. In particular, Applicant needs to correct Fig.1 to better reflect what parts of the apparatus the reference numerals are referring to.

In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

Prior Art of Record

2. The prior art of record and not relied upon is considered pertinent to Applicant's disclosure. In addition, the following references are cited for disclosing various aspects of Applicant's invention: US 6716360; US 5695721; US 7022295; US 5723041.

Allowable Subject Matter

3. The following is an examiner's statement of reasons for allowance: with respect to claims 1 and 17, nor prior art has been found tot each or suggest the apparatus claimed in claim 1 or the method of using the apparatus claimed in claim 1. The closest prior art of record US 6717360 to Titmas teaches a reactor shown in Fig.3 that has superficial resemblance to the apparatus of the instant invention. Numerous structural deficiencies in the prior art, remedied by use of hindsight, render the claims of the instant invention novel.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/717,113

Art Unit: 1764

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alex Wachtel whose telephone number is 571-272-1455. The examiner can normally be reached on 10:30am to 6:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Glenn Caldarola, can be reached at (571)-272-1444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

OW

Glenn Caldarola Supervisory Patent Examiner Technology Center 1700